

Subject Index to Volume 104

Numbers in parenthesis in italic type after the volume number are the issue numbers

- No. 1 January–February
- No. 2 March–April
- No. 3 May–June
- No. 4 July–August
- No. 5 September–October
- No. 6 November–December

A

ac quantum Hall effect 323(4), 529(6)
acoustic resonator 11(1)
acoustic thermometry 11(1)
Advanced Encryption Standard (AES) 97(1),
401(1), 401(4), 435(5)
air pollutants 59(1)
air-kerma 135(2)
aluminum 557(6)
aperture diameter 479(5)
argon 11(1)

B

BaR₂ZnO₅(R=lanthanides) 147(2)
bidirectional reflectance distribution 185(2)
blackbody sources 253(3)
block cipher 401(4)

C

capacitance-to-shield 323(4)
Charpy impact test 557(6)
communications security 97(1)
component libraries 291(3)
computer security 97(1)
concrete 461(5)
conformity assessment 91(1)
cryptanalysis 435(5)
cryptographic algorithms 435(5)
cryptography 97(1), 435(5)
crystal structure 147(2)
cubic spline 189(2)

D

data encryption standard 97(1)
data model 349(4)
database 59(1)
datum 349(4)
datum system 349(4)
decentralized networks 587(6)
documentary standards 91(1)
dynamic routing 587(6)

E

electronic commerce 291(3)
electronic components 291(3)
electronics manufacturing 291(3)
encryption 97(1), 401(4), 435(5)
entangled photons 1(1)
equivalent electrical circuit 323(4), 529(6)
error estimate 189(2)
exchange constant 261(3)

F

federal agency cooperation 91(1)
fixed point 11(1)
fixed-point blackbodies 253(3)
flow properties 461(5)
formal semantics 495(5)
Fraunhofer-Airy profile 479(5)
free-air ionization chamber 135(2)
Fresnel-Lommel theory 479(5)
function point metrics 567(6)

G

gallium point	11(1)
gas constant	11(1)
gas standards	59(1)
graduated scales	225(3)

H

heat flux	487(5)
high- T_c superconductor	277(3)
hydrogen bonding distribution	173(2)

I

ideal gas	11(1)
illuminance	47(1)
image size irradiance	479(5)
information modeling	291(3)
information technology	97(1), 567(6)
infrared spectrometer	59(1)
interferometry	225(3)
intrinsic impedance standard	529(6)
irradiance	487(5)
isotope dilution mass spectrometry	141(2)
ITS-90	253(3)
Izod impact test	557(6)

L

Laplace transform	189(2)
length	225(3)
lensless imaging	479(5)
local multipoint distribution service	579(6)
longitudinal resistance	323(4)
luminous flux	47(1)
luminous intensity	47(1)
luminous responsivity	47(1)

M

magnetic anisotropy	261(3)
magnetic microstructure	261(3)
measurement assurance	225(3)
measurement uncertainty	225(3)
mercury point	11(1)

micromagnetics	261(3)
microwave propagation	579(6)
microwave resonator	11(1)
mortar	461(5)
multi-series connections	323(4)
multiple diffraction	579(6)

N

nanocrystalline materials	261(3)
national standards strategy	83(1)
near infrared spectroscopy	173(2)
neutron scattering	261(3)
numeric integration	189(2)
numeric transform	189(2)

O

ontology	495(5)
--------------------	--------

P

parametric downconversion	1(1)
parasitic impedances	529(6)
Pb-doped 2223	277(3)
phase equilibria	277(3)
photometer	47(1)
polarization interferometer	1(1)
polarization mode dispersion (PMD)	1(1)
power efficiency	587(6)
pressed polytetrafluoroethylene powder	185(2)
primary phase field	277(3)
primary standard	135(2)
process ontology	495(5)
process semantics	495(5)
process specification language	495(5)
product data standards	291(3)

Q

quantized Hall resistance	323(4), 529(6)
quantum interference	1(1)

R

radiance temperature	253(3)
radiant flux	479(5)

Rayleigh	479(5)
reference radiation qualities	135(2)
relaxation function	189(2)
rf furnace	253(3)
rheological measurements	461(5)
rheological models	461(5)
rheology	461(5)

S

small-angle neutron scattering	261(3)
software metrics	567(6)
spin-wave stiffness	261(3)
standards	83(1), 91(1)
standards policy	83(1)
standards strategy	83(1)
steel	557(6)
superconductor related materials	147(2)

T

time domain	189(2)
transfer calibration	487(5)

U

units	47(1)
-----------------	-------

V

V-notch	557(6)
verification	557(6)

W

wireless communications	579(6)
-----------------------------------	--------

X

x-ray reference powder patterns	147(2)
-------------------------------------------	--------